

ACA-EHB: Zero Dollar Copay Preventive Medication List

The Patient Protection and Affordable Care Act (ACA) is the health care reform law passed by Congress and signed by President Obama in 2010; it requires that new and non-grandfathered health plans cover preventive essential health benefits (EHB) without charging a copayment, coinsurance, or deductible. Plans that meet the definition of a "grandfathered" plan are not subject to EHB requirements. EHBs include a variety of preventative services and medications that are outlined by the United States Preventive Services Task Force (USPSTF) recommendations with an A or B rating, recommendations from the Advisory Committee on Immunization Practices (ACIP), and guidelines supported by the Health Resources and Services Administration (HRSA) for pediatrics and women. Based on the recommendations of USPSTF, HRSA, and the Centers for Disease Control and Prevention (CDC)/ACIP, MedImpact has identified medications to be covered under the pharmacy benefit.

USPSTF, HRSA, and ACIP/CDC recommendation updates can occur at any time and health plans have specified timelines to implement these recommendations in compliance with federal law. New recommendations will be required to be covered without cost-sharing starting with the plan year (or in the individual market, the policy year) that begins on or after the date that is one year after the date the recommendation is issued. State specific requirements may vary. Implementation dates are vetted internally with MedImpact regulatory compliance partners, and MedImpact will continuously monitor for ACA-related guidance and updates to ensure compliance with all regulations.

Regarding the inclusion of branded and generic products on the EHB Zero Dollar Copay List, plans may cover a generic drug without cost-sharing and impose cost-sharing for equivalent branded drugs; however, a plan or issuer must accommodate any individual for whom the generic drug would be medically inappropriate (as determined by the individual's health care provider) with a mechanism for waiving the otherwise applicable cost-sharing for the branded or non-preferred brand version.

Definitions and Abbreviations

ACA: Patient Protection and Affordable Care Act, also called "PPACA" or "Obamacare"

ACIP: Advisory Committee on Immunization Practices CDC: Centers for Disease Control and Prevention

FDA: United States Food & Drug Administration

HRSA: Health Resources and Services Administration

MSB: Multiple-source brand; available as brand-name and as generic equivalents/alternatives

NCCN: National Comprehensive

Cancer Network

OTC: Over-the-counter PA: Prior authorization

SSB: Single source brand; drug marketed/sold protected under patent exclusivity

USPSTF: United States Preventive Services Task

Force

Summary of ACA/EHB Zero Dollar Copay List Updates to be Effective 01/01/2025

- Addition of Capvaxive to adult pneumococcal drug list
- Addition of generic and low-net cost SSB prenatal vitamins to folic acid drug list

Last reviewed: 01/01/2025 Last revised: 01/01/2025 **Medimpact**



Summary of ACA/EHB Zero Dollar Copay List Updates to be Effective 04/01/2025

- Decrease age limit for pneumococcal vaccines on adult tables
- Addition of mResvia to adult RSV vaccine drug lists
- Increase age limit for RSV vaccines on adult tables for non-pregnant patients
- Increase fill count for Bexsero (MenB-4C) on both adult and pediatric vaccine tables

Standard ACA-EHB Zero Dollar Copay Table

All medications, including specified over the counter (OTC) items (e.g., aspirin, contraceptives, folic acid), included on the MedImpact EHB Zero Dollar Copay standard table are covered at zero copay if the member has a valid prescription; however, some medications are only covered at a zero copay for the population specified (e.g., specified age range). **Zero Cost Share Prior Authorizations are available for the medically necessary exception process on all standard drug lists.**

Drug	Edit	Comments	
Aspirin Drug List			
Aspirin	• N/A	Generics only	
Breast Cancer Prevention Drug List			
Raloxifene Tamoxifen Anastrozole Exemestane	Age ≥35Quantity limit of 1 per day	Generics only Quantity limit set to preventative dosing	
Bowel Preparation Drug	j List		
FDA-approved bowel preparations	 Age 45-75 years Fill limit of 2 per year Quantity limit per label ST for non-preferred products (Plenvu and Suflave) 	SSB and generics only Clenpiq, PEG 3350 plus electrolytes (e.g., Colyte, Golytely, MoviPrep, Nulytely), Plenvu, Prepopik, Suprep, Sutab, Suflave	
Contraceptives Drug List			
Oral/ring hormonal contraceptives	Quantity limit 28 per 21 days (routine oral contraceptives only)	SSB and generics only Includes emergency contraception	
Transdermal contraceptives	• N/A	SSB and generics only	
Barrier contraceptives	Quantity limit (condoms only)	Cervical cap, Diaphragms, Sponge, Nonoxynol 9, Phexxi, Condoms	
Other contraceptive forms	 Quantity limit of 1 per year (Nexplanon) Quantity limit of 1 per 90 days (Depo-Provera) 	SSB and generics only Depo-Provera, Liletta, Mirena, Nexplanon, ParaGard, Skyla	





Drug	Edit	Comments
Fluoride Drug List		
Fluoride	Age 6 months to 6 years	Generics only
Folic Acid Drug List		
Folic acid Prenatal vitamins	• N/A	Generic folic acid 0.4 mg, 0.8 mg Generic and low-cost SSB prenatal vitamins
PrEP Drug List		
Truvada (emtricitabine, FTC/tenofovir disoproxil fumarate, TDF) Viread (TDF) Emtriva (FTC) Descovy (TAF/FTC) Apretude (cabotegravir)	 Quantity limit of 1 tab per day (Truvada, Viread, Emtriva, Descovy) Quantity limit of 7 doses per 365 days (Apretude) No concurrent use of HIV medications for the treatment of HIV 	Generics and SSB only
Statin Drug List		
Low-moderate intensity generic and certain brand statins	 Age 40-75 years No concurrent use of secondary prevention medications [e.g., Aggrenox (aspirin/dipyridamole), Plavix (clopidogrel), dipyridamole, nitroglycerin (oral, sublingual, transdermal, translingual), Effient (prasugrel), Brilinta (ticagrelor), ticlopidine, Zontivity (vorapaxar)] Quantity limited to statin dosages at low-to-moderate intensity Flolipid and Atorvaliq Suspension Prior Authorization for patients unable to use tablets 	Generics and Livalo Low-moderate intensity daily dosing: • atorvastatin 10-20 mg • fluvastatin 20-80 mg (40 mg twice daily) • fluvastatin XL 80 mg • lovastatin 10-40 mg • Livalo (pitavastatin calcium) 1-4 mg • pravastatin 10-80 mg • rosuvastatin 5-10 mg • simvastatin 5-40 mg

Optional ACA-EHB Zero Dollar Copay Tables

Additional product categories, such as vaccines and smoking cessation agents, may be covered by an in-network provider on the medical benefit, pharmacy benefit, or both, as determined by the plan. MedImpact has developed optional tables for clients who elect to cover these agents on the pharmacy





benefit. Immunizations for *routine* use or with *shared clinical decision-making* as defined by the CDC, or ACIPs recommended immunizations for all persons may include the vaccines listed on these optional tables. Certain vaccines are recommended in *special circumstances* on the basis of age, lifestyle, health conditions, job, international travel, and previous vaccines received. As some conditions and/or risk factors warrant further evaluation, the administration of these vaccines in *special circumstances* are left to the determination of the provider. Vaccines recommended by the CDC in *special circumstances* are not considered an EHB and as such, are not included on these optional tables. For example, zoster vaccines are *routinely* recommended for *all* adults over the age of 50 so are included on these tables with an age requirement of 50 years or older. The CDC does recommend zoster vaccination in *special circumstances* for those under age 50, but these are not included because they are not *routine* for *all* persons under age 50.

Vaccine	Edit	
Optional Influenza Vaccines Table		
Influenza vaccines	Age ≥18 years (Flublok), ≥65 (Fluzone High Dose and Fluad); Quantity limit of 1 dose per 180 days	
Optional Adult COVID Vaccines Table		
COVID-19 (Comirnaty, Novavax, Spikevax)	Age ≥18 years; Quantity limit of 0.5 mL per fill (Novavax, Spikevax), 0.3 mL per fill (Comirnaty)	
Optional Pediatric COVID Vaccines Ta	able	
COVID-19 (Moderna EUA pediatric vaccines)	Age 6 months to 11 years; Quantity limit of 0.25 mL per fill)	
COVID-19 (Pfizer EUA pediatric vaccines)	Age 6 months to 4 years (Pfizer 6M-4Y), 5-11 years (Pfizer 5-11Y); Quantity limit of 0.3 mL	
COVID-19 (Comirnaty, Novavax, Spikevax)	Age 12-17 years; Quantity limit of 0.5 mL per fill (Novavax, Spikevax), 0.3 mL per fill (Comirnaty)	
Optional Adult Vaccines Table		
Human papillomavirus (Gardasil 9)	Age 18-45 years; Quantity limit of 3 doses per 365 days	
Hepatitis A (Vaqta, Havrix)	Age ≥18 years; Quantity limit of 2 doses per 365 days	
Hepatitis B (Engerix-B Adult, Heplisav-B, PreHevbrio, Recombivax HB)	Age ≥18 years; Quantity limit of 3 doses per 365 days (PreHevbrio, Recombivax HB), 2 doses per 365 days (Heplisav-B), Quantity limit of 4 doses per 365 days (Engerix-B Adult)	
Hepatitis B/Hepatitis A combo (TwinRix)	Age ≥18 years; Quantity limit of 4 doses per 365 days	
Measles, mumps, rubella (MMR, Priorix)	Age ≥18 years; Quantity limit of 2 doses per 365 days	
Meningococcal serogroup B (Bexsero, Trumenba)	Age 18-25 years; Quantity limit of 2 doses per 365 days (Bexsero), 3 doses per 365 days (Trumenba)	





Vaccine	Edit
Meningococcal quadrivalent conjugate [MenACWY (Menveo, MenQuadfi)]	Age 18-23 years; Quantity limit of 1 dose per 365 days
Meningococcal ACWY-B (Penbraya)	Age 18-25 years; Quantity limit of 2 doses per 365 days
Pneumococcal 15-valent conjugate (Vaxneuvance) Pneumococcal 20-valent conjugate (Prevnar 20) Pneumococcal 21-valent conjugate (Capvaxive) Pneumococcal polysaccharide (Pneumovax 23)	Age ≥65 years; Quantity limit of 1 dose per 365 days
Poliovirus (Ipol)	Age ≥18 years; Quantity limit of 3 doses per 365 days
Respiratory Syncytial Virus (RSV) (Abrysvo and Arexvy)	Age ≥60 years; Quantity limit 1 dose per 365 days (Abrysvo and Arexvy) Age <60 years; SCC code to confirm current pregnancy status; Quantity limit 1 dose per 365 days (Abrysvo only)
Tetanus, diphtheria, pertussis (Tdap) Tetanus, diphtheria (Td)	Age ≥18 years; Quantity limit of 1 dose per 365 days
Varicella	Age ≥18 years; Quantity limit of 2 doses per 365 days
Zoster vaccine, recombinant (Shingrix)	Age ≥50 years; Quantity limit of 2 doses per 365 days
Optional Pediatric Immunization Table	e
Hepatitis A (Vaqta, Havrix)	Age 1-17 years; Quantity limit of 2 doses per 365 days
Hepatitis B (Engerix-B Pediatric-Adolescent, Recombivax HB Pediatric-Adolescent, Recombivax HB Adult)	Age 0-17 years; Quantity limit of 3 doses per 365 days (Engerix-B & Recombivax HB Pediatric-Adolescent) Age 11-15 years; Quantity limit of 2 doses per 365 days (Recombivax HB Adult)
Haemophilus influenzae type B (ActHIB, Hiberix, PedvaxHIB)	Age 6 weeks to 4 years; Quantity limit of 4 doses per 365 days (ActHIB, Hiberix), 3 doses per 365 days (PedvaxHIB)
Human papillomavirus (Gardasil 9)	Age 9-17 years; Quantity limit of 3 doses per 365 days
Poliovirus (Ipol)	Age 6 weeks to 17 years; Quantity limit of 3 doses per 365 days
Measles, mumps, and rubella vaccine (MMR II, Priorix)	Age 1-17 years; Quantity limit of 2 doses per 365 days
Measles, mumps, rubella, and varicella (ProQuad)	Age 1-12 years; Quantity limit of 2 doses per 365 days



Vaccine	Edit
Meningococcal serogroup B (Bexsero, Trumenba)	Age 10-17 years; Quantity limit of 2 doses per 365 days (Bexsero), 3 doses per 365 days (Trumenba)
Meningococcal quadrivalent conjugate [MenACWY (Menveo, MenQuadfi)]	Age 11-17 years; Quantity limit of 2 dose per 365 days
Meningococcal ACWY-B (Penbraya)	Age 10-17 years; Quantity limit of 2 doses per 365 days
Pneumococcal 15-valent conjugate (Vaxneuvance) Pneumococcal 20-valent conjugate (Prevnar 20)	Age 6 weeks to 18 years; Quantity limit of 4 doses per 365 days
Pneumococcal polysaccharide (Pneumovax 23)	Age 2-18 years; Quantity limit of 4 doses per 365 days
Respiratory Syncytial Virus (RSV; Beyfortus)	Age 0-19 months; Quantity limit of 2 doses per 120 days
Rotavirus (Rotarix, Rotateq)	Age 6 weeks to 6 months; Quantity limit of 2 doses per 365 days (Rotarix) Age 6 weeks to 8 months; Quantity limit of 3 doses per 365 days (Rotateq)
Varicella (Varivax)	Age 1-17 years; Quantity limit of 2 doses per 365 days
Diphtheria, tetanus, acellular pertussis (DTaP; Daptacel, Infanrix) Diphtheria, tetanus (DT)	Age 6 weeks to 6 years; Quantity limit of 4 doses per 365 days
Tetanus, diphtheria, acellular pertussis (Tdap; Adacel, Boostrix) Tetanus, diphtheria (Td; Tenivac, TDvax)	Age 7-17 years; Quantity limit of 1 dose per 365 days
DTaP, hepatitis B, and inactivated poliovirus (DTaP-HepB-IPV; Pediarix)	Age 6 weeks to 6 years; Quantity limit of 3 doses per 365 days
DTaP, inactivated poliovirus, and H. influenzae type B (DTaP-IPV/Hib; Pentacel)	Age 6 weeks to 4 years; Quantity limit of 4 doses per 365 days
DTaP, inactivated poliovirus, H. influenzae type b, and hepatitis B (DTaP-IPV-Hib-HepB; Vaxelis)	Age 6 weeks to 4 years; Quantity limit of 3 doses per 365 days
DTaP and inactivated poliovirus vaccine (Kinrix, Quadracel)	Age 4-6 years; Quantity limit of 1 dose per 365 days

Drug	Edit	Comments
Optional EHB Smoking Cessation Table		

Last reviewed: 01/01/2025 Last revised: 01/01/2025 Medimpact



Drug	Edit	Comments	
QL edit allows for up to a 180-day supply per year (two 90-day smoking attempts) with selected agent(s) utilized contributing to the total. Zero cost share Prior Authorization available for medically necessary exception process			
bupropion (generic for Zyban)	Age ≥ 18 years, Quantity limit	Generic only	
Chantix (varenicline)	Age ≥ 18 years, Quantity limit	Generic only	
Nicotine inhaler (Nicotrol)	Age ≥ 18 years, Quantity limit, Step Therapy: trial of nicotine transdermal patch	Prescription	
Nicotine spray (Nicotrol NS)	Age ≥ 18 years, Quantity limit, Step Therapy: trial of nicotine transdermal patch	Prescription	
Nicotine gum or lozenge	Age ≥ 18 years, Quantity limit	OTC	
Nicotine transdermal patches	Age ≥ 18 years, Quantity limit	OTC	

Additional information regarding ACA requirements can be viewed at the following websites:

- CDC: Advisory Committee on Immunization Practices (ACIP) Vaccine Recommendations and Guidelines
- Adult Vaccine Schedules: https://www.cdc.gov/vaccines/schedules/hcp/imz/adult.html
- Pediatric Vaccine Schedules: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html
- HealthCare.gov: Preventive care benefits for adults
- US Department of Labor FAQs about ACA Implementation (Part XXVI)
- US Preventive Services Task Force Recommendations for Primary Care Practice
- The Center for Consumer Information & Insurance Oversight: Affordable Care Act Implementation FAQs- Set 18
- FAQs About Affordable Care Act Implementation Part 51, Families First Coronavirus Response Act and Coronoavirus Aid, Relief, and Economic Security Act Implementation

